




# I-Scan™ System

## Tactile Pressure Measurement System

I-Scan™ measures and analyzes interface pressure between two surfaces, utilizing a thin and flexible sensor. Measuring both force and pressure, this exceptionally thin tactile sensor produces minimal interference between the objects being measured, allowing the system to capture and display the true interface pressure data. Users gain vital insights from otherwise-unseen surface measurement details. These insights help enhance product design, manufacturing, quality, and research.

### Versatile Tool for In-Depth Analysis of Dynamic Pressure Measurements



### Key Benefits

#### Product Design

- In-depth understanding of surface behavior
- Verify forces and peak pressures between two components
- Measure external forces
- Reduce failures & associated costs

#### Manufacturing

- Verify calibration of machinery
- Improve repeatability of processes
- Reduce downtime & improve yields

#### Quality Control

- Identify potential failure modes
- Quality inspection & control
- Competitive benchmarking

#### Research


- Understand the physical properties of the objects being measured
- Understand the pressure distribution between two surfaces

## Key Data

- Total force
- Pressure distribution
- Peak pressure
- Center of force
- Forces in different areas

## Utilization

- Test & measurement
- Research & development
- Design validation
- Machine set-up
- Quality control



Examples from our wide range of sensor options

## Sensors

Over 200 flexible, thin film sensors are available in different sizes, shapes, resolutions, temperature ratings, and pressure ranges (up to 25,000 psi or 1,700 bar).

- **High spatial resolution:**

Up to 248 sensing elements/cm<sup>2</sup>  
(1,600 sensing elements/in<sup>2</sup>)

Sensing elements with as narrow as  
0.1 mm (0.02 in.) spacing

- Sensing area ranging from  
3 mm x 3 mm (.12 in. x .12 in.) to up to  
1,734 mm x 1,768 mm (68 in. x 69 in.)

- Optional high-temp sensors can withstand  
up to 200°C (392°F)

**Sensors can be modified or customized  
to suit your application**

## Data Acquisition Electronics

To obtain the pressure data, our electronics scan the thousands of sensing points within each sensor. The data is instantly relayed to the software on your PC. Our sensors can be scanned at up to 1,600,000 sensing elements/second.

| Tethered Configurations   |  | Wireless Configurations<br>(Available Only For I-Scan 7)   |  |
|---|--|--|--|
| <p><b>Evolution™</b><br/>STANDARD USB<br/>Up to 100 Hz</p> <p>Evolution Handle</p> <p>For use in standard applications.</p> | <p><b>VersaTek™</b><br/>HIGH SPEED USB<br/>Up to 20 kHz</p> <p>VersaTek Hub</p> <p>VersaTek Handle</p> <p>For use in high-speed applications or for sensors with higher resolution over large areas.</p> | <p><b>Wireless</b><br/>VERSATEK™ WIRELESS UNIT<br/>Up to 4,600 Hz</p> <p>Wireless Unit</p> <p>VersaTek Handle</p> <p>Wirelessly transmit data to PC for remote data collection (up to 100m).</p> | <p><b>Datalogger</b><br/>VERSATEK™ DATALOGGER UNIT<br/>Up to 20 kHz</p> <p>Datalogger Unit</p> <p>VersaTek Handle</p> <p>Collect data onto Datalogger Unit and upload to PC after data collection. For wireless use at higher speeds &amp; noisy environments.</p> |


## Software

I-Scan provides the tools for more comprehensive and higher quality analysis than ordinary pressure sensing technologies. The software displays the pressure distribution data, in multiple formats, for superior analysis. Data and imagery of the pressure distribution are shown in real-time with the ability to record, play back, and save FSX movies. The user has the option to create and customize graphs from the corresponding movie data or export as an ASCII file for use with other programs.

## Software Features

- Real-time display of pressure sensor data in 2D & 3D
- Graphing & data analysis (pressure, force, & area)
- View data as an integrated Microsoft Excel table
- View and compare multiple test results simultaneously
- Display peak pressures & center of force
- Export data and graphs to ASCII

## Analysis Tools



## Related Products & Options

Different software packages and optional add-ons are available.

### External Triggering and Synchronization:

The Tekscan system can be configured as a master or slave with this feature.

- Simultaneously start the data recording of multiple devices or trigger to remotely start a recording
- Synchronize the acquisition of Tekscan pressure data with a third-party product, such as a video recording or EMG

### Analog Input:

Collect data from any -10 to 10 V analog sensor (load cells, thermocouples, encoders, etc.) to compare with Tekscan data.

### API (Application Program Interface):






Enables a user, with programming knowledge, to write programs that directly access real-time sensor data.

- **Pressure Mapping Software Development Kit (SDK):** Includes libraries to access the following functionality:
  - Get Data** - Communicate with Tekscan data acquisition electronics
  - Record Data** - Control acquisition parameters for saving data
  - Read Data** - Read data from previously saved files
- **Data Reader Toolkit (DRT):** A subset of the SDK library that can read data from previously saved files.

## Applications

Different options for data acquisition electronics, software add-ons, and standard and custom sensors make the I-Scan system extremely versatile, creating endless possibilities for applications. Here are just a few examples of common and unique applications:

- Gaskets and Fasteners
- Fuel cell stack assembly
- Packaging and Sealing
- Nip and pinch rollers
- Wafer and Lens Polishing
- Impact and Crash Testing
- Door seals
- Battery Cycle Testing
- Hose clamps and crimps
- Robotics

|                        |  |                               |  |                               |
|------------------------|--|-------------------------------|--|-------------------------------|
| Door Seal              |   | Automotive                    |   | Brake Pads                    |
| R&D/Housing Durability |   | Battery                       |   | Manufacturing/Quality Control |
| Roller Nip Profile     |   | Printing & Packaging          |   | Packaging & Sealing Jaws      |
| Wafer Polishing        |  | Electronic Component Assembly |  | Semiconductor                 |

### Expand Your Insights with Temperature Mapping

Tekscan now offers a **thin-film temperature mapping solution** integrated with **I-Scan™**, enabling precise thermal analysis even in areas where thermal cameras can't reach.

### Measure Where Infrared Fails

Capture temperature in moving components, enclosed spaces, reflective surfaces, and multi-layer materials, including inside sealed machinery and rotating rollers.

### Correlate Pressure & Temperature

Pair with an **I-Scan pressure sensor** to uncover critical relationships affecting product performance.

### Comprehensive Data Insights

Gain high-resolution, real-time temperature distribution across surfaces.

### Streamline Data Collection

Replace multiple thermocouples with a **single, trimmable sensor** featuring 130 sensing points.

### Seamless I-Scan Integration

Works with the **I-Scan 9.5 platform** for easy adoption.

Add Temperature Mapping functionality to I-Scan.

Explore the Possibilities



617.464.4282  
1.800.248.3669

info@tekscan.com  
tekscan.com/pm

Call Today for a  
Demonstration!